

Tillers

BH



SICMA[®]

BH



15 ► 30 HP



1000 ► 1450




Max 170



Very light

The BH model is the lightest fixed tiller in the range, with low energy absorption, allowing it to be used on tractors with powers of between 15 and 30 horsepower.


It is a handy and easy to transport tiller, suitable for light use on mixed flat terrain.



Double boxed sheet metal frame

SICMA production gears made of heat-treated alloy steel

"Long life" seal in the rotor bearings





Universal
shaft size 4



OPTIONAL



Flexible clutch

In case of sudden absorption of power there are two discs that slide, thereby redistributing the forces.



Shear bolt

They adjust the working depth of the rotary tiller.

TECHNICAL DATA

Reducer speed:

540 rpm

253 rpm

Models and Features:

	HP	mm (in)	mm (in)	kg (lbs)	nr. 4	nr. 6	cat.
BH 100	15 ▶ 30	1000 (40")	1146 (45")	126 (277)	16	24	1
BH 120	15 ▶ 30	1200 (47")	1366 (54")	144 (317)	20	30	1
BH 145	15 ▶ 30	1450 (57")	1590 (63")	164 (361)	24	36	1

*The experience that cultivates
the future of your land*

SICMA S.p.a. is an Italian company and a leader in
the professional agricultural machinery sector.
We design and create cutting-edge solutions for
you, the farmer of tomorrow. Innovation and
passion at your service.



MIGLIANICO | ABRUZZO | ITALY

Sicma SpA

Contrada Cerreto, 39

66010 Miglianico (CH)

Tel. +39 0871 95841

info@sicma.it - www.sicma.it

