


Spaders

EN

VP



 **SICMA[®]**

VP



40 ► 90 HP



1350 ► 2220




200 - 300 mm



Heavy

The VP is the heaviest model in the SICMA spading machine range and can be applied to tractors from 40 HP up to 90 HP. Its configuration makes it suitable for all types of crops. Furthermore the robustness of the

structure allows it to reach good working depths and to avoid clogging of the soil in conditions of high humidity. It is equipped with a 3-speed lever gear change.





EUROCARDAN
ENERGY ON THE MOVE


Universal shaft
(Eurocardan) size 5
with flexible clutch



3-speed gearbox with lever selection,
made by SICMA with tapered roller
bearings, in oil bath




OPTIONAL









Side supports

TECHNICAL DATA

Reducer speed:

	147 rpm
	166 rpm
	188 rpm
540 rpm	

Models and Features:

	 HP	 mm (in)	 mm (in)	 kg (lbs)		 cat.
VP6 135	40 ► 90	1350 (53")	1570 (60")	594 (1309)	6	1
VP6 145	40 ► 90	1450 (57")	1670 (64")	650 (1433)	6	1
VP6 160	40 ► 90	1600 (63")	1820 (72")	688 (1517)	6	1
VP8 185*	40 ► 90	1850 (69")	2070 (80")	800 (1764)	8	1
VP8 200*	40 ► 90	2000 (78")	2220 (87")	830 (1830)	8	1

*(with side supports)

*The experience that cultivates
the future of your land*

SICMA S.p.a. is an Italian company and a leader in
the professional agricultural machinery sector.
We design and create cutting-edge solutions for
you, the farmer of tomorrow. Innovation and
passion at your service.



MIGLIANICO | ABRUZZO | ITALY

Sicma SpA

Contrada Cerreto, 39
66010 Miglianico (CH)
Tel. +39 0871 95841

info@sicma.it - www.sicma.it

