EN

# 















Very heavy reversible shredder for tractors from 90 to 150 HP with widths from 180 to 280 cm, ideal for large woody residues in open field use.










Counterblade system	
in cutting chamber	
<b>3</b> · · · · ·	
Object launch ————	
protection blades	
Transmission with V-belts and	
manual belt tensioner system	
Rotor supports with high reliability	
bearings equipped with NILOS	
lubricant seals	
11i-di-t	
High resistance self-	
centring pulley shrink	
discs	
Helical shaft	



Universal shaft (Eurocardan) size 6 Universal shaft (Eurocardan) size 8 (for TZF 250-280)








# **TECHNICAL DATA**

## **Reducer speed:**









### **Models and Features:**

	<b>⊚</b> MP	mm (in)	mm (in)	∆ kg (lbs)	nr.	nr.	nr.	cat.
TZF 180	60 ▶ 150	1800 (71")	2030 (80")	760 (1675)	42	14	4	2
TZF 200	60 ▶ 150	2000 (79")	2270 (89")	800 (1764)	48	16	4	2
TZF 220	60 ▶ 150	2200 (87")	2480 (98")	840 (1852)	54	18	4	2
TZF 250	60 ▶ 150	2500 (98")	2740 (108")	890 (1962)	60	20	4	2
TZF 280	60 ▶ 150	2800 (110")	3040 (120")	940 (2070)	66	22	4	2

# The experience that cultivates the future of your land

SICMA S.p.a. is an Italian company and a leader in the professional agricultural machinery sector. We design and create cutting-edge solutions for you, the farmer of tomorrow. Innovation and passion at your service.





### Sicma SpA

Contrada Cerreto, 39 66010 Miglianico (CH) Tel. +39 0871 95841

info@sicma.it - www.sicma.it







