

# MM



# MM



15 ▶ 35 HP



1100 ▶ 1250




20/40 mm



Very light

Super light lateral shredder for tractors from 15 to 35 HP available in sizes 110 and 125, especially, ideal for users with very light tractors.




**EUROCARDAN**  
 ENERGY ON THE MOVE


 Universal shaft  
 (Eurocardan) size 4


## OPTIONAL



### Additional deviator


It allows small tractors that are equipped with additional quick couplings to be supplied with hydraulic oil.











MOD.	A mm (in)	B mm (in)	C mm (in)	D mm (in)	E mm (in)	F °
<b>MM 110</b>	1100 (43")	1750 (69")	580 (23")	1440 (57")	750 (30")	50
<b>MM 125</b>	1250 (49")	1900 (75")	580 (23")	1440 (57")	900 (35")	50

## TECHNICAL DATA

Reducer speed:



Models and Features:

	 HP	 mm (in)	 mm (in)	 kg (lbs)	 nr.	 nr.	 nr.	 cat.
<b>MM 110</b>	15 ▶ 35	1100 (43")	1220 (48")	190 (418)	52	26	3	1
<b>MM 125</b>	15 ▶ 35	1250 (49")	1380 (54")	200 (441)	60	30	3	1

*The experience that cultivates  
the future of your land*

SICMA S.p.a. is an Italian company and a leader in  
the professional agricultural machinery sector.  
We design and create cutting-edge solutions for  
you, the farmer of tomorrow. Innovation and  
passion at your service.



MIGLIANICO | ABRUZZO | ITALY

**Sicma SpA**

Contrada Cerreto, 39  
66010 Miglianico (CH)  
Tel. +39 0871 95841

[info@sicma.it](mailto:info@sicma.it) - [www.sicma.it](http://www.sicma.it)

