

Harrows

EN

EA





 **SICMA®**

EA

15 ▶ 80 HP 800 ▶ 1900 240 mm (9 in)

Compact harrow for tractors up to 80 HP, suitable for viticulture, horticulture, gardening and orchards. Available with cage, packer, spiral and smooth rollers



Mesh roller (Optional)



EUROCARDAN
 ENERGY ON THE MOVE

 Universal shaft size 8 with
 flexible clutch


ROLLER TYPES

SPIRAL ROLLER

The spiral roller has a greater contact surface with the soil. It consolidates and stabilizes the ground more effectively than the cage system, working well on very soft soils and those with stones and pebbles. **It is suitable for medium-textured or sandy soils.**




PACKER ROLLER

A series of adjustable scrapers keeps the roller's surface clean from adhered soil portions. **Useful for re-compacting the surface to prevent moisture evaporation during hotter seasons with high drought.**



SMOOTH ROLLER

This is a smooth-surfaced metal cylinder made of a large-diameter tubular structure. **Useful for preparing soils for vegetable sowing.**





CAGE ROLLER

The rods improve contact with the ground and facilitate rotation, reducing the lifting effect when passing over obstacles such as stones or hard clods. **Useful for working dry soils, with medium humidity and small stones.**











TECHNICAL DATA

Reducer speed:



Models and Features:

	 HP	 mm (in)	 mm (in)		 Cage Roller Ø 355 mm 14 in	 Packer Roller Ø 350 mm 13.8 in	 Spiral Roller Ø 290 mm 11.5 in	 Mesh Roller Ø 454 mm 17.8 in
EA 80	15 ▶ 80	820 (31")	860 (31")	4	297 (654)	315 (694)		313 (690)
EA 100	20 ▶ 80	1000 (39")	1040 (39")	5	331 (729)	353 (778)		352 (776)
EA 120	25 ▶ 80	1180 (47")	1220 (47")	6	365 (804)	392 (864)		391 (862)
EA 140	30 ▶ 80	1360 (55")	1400 (55")	7	399 (880)	429 (945)		430 (947)
EA 160	35 ▶ 80	1540 (65")	1580 (65")	8	432 (952)	467 (1029)	444 (978)	467 (1029)
EA 180	40 ▶ 80	1720 (71")	1760 (71")	9	466 (1027)	506 (1115)	479 (1056)	506 (1115)
EA 200	45 ▶ 80	1900 (79")	1940 (79")	10	500 (1102)	543 (1197)	513 (1130)	543 (1197)

*The experience that cultivates
the future of your land*

SICMA S.p.a. is an Italian company and a leader in
the professional agricultural machinery sector.
We design and create cutting-edge solutions for
you, the farmer of tomorrow. Innovation and
passion at your service.



MIGLIANICO | ABRUZZO | ITALY

Sicma SpA

Contrada Cerreto, 39
66010 Miglianico (CH)
Tel. +39 0871 95841

info@sicma.it - www.sicma.it

